

Package: shinyPredict (via r-universe)

September 13, 2024

Type Package
Title Predictions using Shiny
Version 0.1.1
Author Jari Haukka [aut, cre]
Maintainer Jari Haukka <jari.haukka@helsinki.fi>
Depends R (>= 3.6)
Suggests knitr, rmarkdown, lattice, testthat, survival, shiny, splines, ggplot2, DT, shinythemes, ggthemes, Epi
Description Creates 'shiny' application ('app.R') for making predictions based on lm(), glm(), or coxph() models.
License GPL-2
Encoding UTF-8
LazyData true
RoxygenNote 7.1.1
NeedsCompilation no
Date/Publication 2021-02-02 11:50:02 UTC
Repository <https://jkhaukka.r-universe.dev>
RemoteUrl <https://github.com/cran/shinyPredict>
RemoteRef HEAD
RemoteSha 9dbdb6a3967090c597a9e1befdb2328d548d2a3e

Contents

shinyPredict	2
Index	4

shinyPredict	<i>Makes shiny application for predictions</i>
--------------	--

Description

Makes shiny application for predictions

Usage

```
shinyPredict(
  models,
  data,
  path,
  info,
  title = "Predictions",
  shinytheme = "cerulean"
)
```

Arguments

models	List of models for prediction. All models must have same y-variable and same class. Classes "lm", "glm", and "coxph" are allowed. If list is named, names are used as titles.
data	data.frame for prediction. Must include union of variables used in models.
path	character string of path where shiny application is added
info	html-file added in Info-tab, if missing creation date is shown
title	Title for application
shinytheme	Theme used in application

Value

character string of path where shiny application is added

Note

All variables must be numeric or factors.

Function creates files 'app.R', 'ModelInfo.html', and 'Models.RData' to path folder Prediction are made by opening file 'app.R' in Rstudio and running it. Select model in left sidebar panel. Select also x-variable values for prediction. For continuous variable you may select range using slider input. In Plot-tab, select variable for x-axis (in coxph-models only time-variable is possible). You may choose number of predictions calculate in using slider input below plot. Predictions with 95% confidence interval are shown. In Data-tab data and predicted values are show. AIC-tab shows Aikaike's Information Criteria and relative likelihood of models. Summary-tab shows the summary of current model. Info-tab show additional information provided by user.

Actual data is not loaded to path folder. 'model' and 'x' are removed from lm-models. It is advised to use 'model = FALSE,y=FALSE' for coxph-models, and 'x = FALSE,y=FALSE, model=FALSE' for lm- and glm-models.

In top of left sidebar panel is text input area with title 'Add plot script'. You may add styling for plot using ggplot style, e.g. '+ggtitle("Solar")+theme_bw()' adds title to plot and changes theme. Press 'SUBMIT' after typing text.

Author(s)

Jari Haukka <jari.haukka@helsinki.fi>

Examples

```
if(interactive()){
  library(survival)
  data(lung)
  lung$sex<-factor(lung$sex)
  lung$ph.ecog<-factor(lung$ph.ecog)

  tmp.m3<-coxph(Surv( time , status )~sex+age,data=lung,model = FALSE,y=FALSE)
  tmp.m4<-coxph(Surv( time , status )~sex+age+ph.ecog,data=lung,model = FALSE,y=FALSE)

  shinyPredict(models=list("Model 1"=tmp.m3,tmp.m4),
               data=lung[,c("time","status","sex","age","ph.ecog")],path = "./",
               title="Predicting lung cancer mortality")

  library(splines)
  data("airquality")
  airquality$Month.f<-factor(airquality$Month)
  airquality$Solar.R.f<-cut(airquality$Solar.R,3)

  tmp.m0<-glm(Ozone~Solar.R+Temp,data=airquality,x = FALSE,y=FALSE, model=FALSE)
  tmp.m1<-glm(Ozone~Solar.R+Temp+Month.f,data=airquality,x = FALSE,y=FALSE,model=FALSE)
  tmp.m2<-update(tmp.m1,~.-Temp+ns(Temp,knots = c(72,79,85)))
  tmp.m2A<-update(tmp.m1,~.-Solar.R+Solar.R.f)
  tmp.m2B<-update(tmp.m2,~.+Solar.R.f:ns(Temp,knots = c(72,79,85)))

  print(shinyPredict(models=list("Simple model"=tmp.m0,
                                tmp.m1,
                                "Model with splines"=tmp.m2,
                                "Model with two factors"=tmp.m2A,
                                "Model with interaction"=tmp.m2B),
                    data=airquality[,c("Ozone","Solar.R","Temp","Month.f","Solar.R.f")],
                    path = "./",
                    title="Predicting Ozone",shinytheme="paper"))
}
```

Index

- * **predict**
 - shinyPredict, [2](#)
 - * **shiny**
 - shinyPredict, [2](#)
- shinyPredict, [2](#)